

Key features JRZ suspension stage 2 LC-300 components

The JRZ stage 2 Toyota land cruiser (GVW till 70000 KG) has been specially designed for armored vehicles with the JRZ damping philosophy.

Front damper:

- Front lower G25 bearing to carry the armored car weight.
- 58mm S355 steel damper tube with height adjustment, steel spring perch with nylon spring seat to fit all springs designs.
- Special silver color coating material for corrosion resistance.
- Induction hardened 22mm, CrMo-4 chrome polished piston pin. * for extra strength and durability. Also high oil flow for quicker response to changing road conditions resulting in superior handling and control.
- Bump-stop with soft dust cover in one piece. * improved front coil-over protection solution.
- Special reinforced rubbers and military grade steel plates on the pin top. * Needed for the body weight increase and higher damping forces to protect the shock mounting points.
- Gas charged. Preventing aeration and cavitation.
- Damping force and length can be custom made for your special needs.
- Font damper is height adjustable.
- All parts are produced in house in the Netherlands.
- All stage 2 dampers are hand build and tested in the Netherlands.




TSS International BV

Zuideinde 30-34, 2991LK Barendrecht. The Netherlands

Phone: +31 (0)180-618 922, Email: sales@tssh.com

www.tssh.com



Rear damper:

- Rear lower G25 bearing to carry the armored car weight.
- 58mm S355 steel damper tube.
- Special silver coating material for corrosion resistance.
- Induction hardened 22mm, 42CrMo-4 chrome polished piston pin. * for extra strength and durability. Also high oil flow for quicker response to changing road conditions resulting in superior handling and control.
- Bump-stop with soft case dust cover. * Improved rear shock overall protection.
- Special reinforced rubbers and military grade steel plates on the pin top. * Needed for the body weight increase to protect the shock mounting points.
- Gas charged. Preventing aeration and cavitation.
- Damping force and length can be custom made for your special needs.
- All parts are produced in house in the Netherlands.
- All stage 2 dampers are hand build and tested in the Netherlands.




TSS International BV

Zuideinde 30-34, 2991LK Barendrecht. The Netherlands

Phone: +31 (0)180-618 922, Email: sales@tssh.com

www.tssh.com



ARMOUR
mobility



TSS International BV

Zuideinde 30-34, 2991LK Barendrecht. The Netherlands

Phone: +31 (0)180-618 922, Email: sales@tssh.com

www.tssh.com